


Instructions for installation.

Max permitted contact force from machine nozzle: 4Mp

## **Boring dimensions**



When designing the bushing heaters we took every possible step to make the heat distribution along the bushing as even as possible. We have thus concentrated the wattage at both ends in order to compensate for heat losses which are the result of metallic contact between bushing and mould. The ceramic insulation is of course also highly important for uniform temperature distribution in the bushing.


When temperatures of 250-260 °C and above are needed it may be advantageous to install a heater band at the back end. This is also the case when shearsensitive materials are to be moulded.


Note: This element must be connected to its own special manual controller and must not be connected in parallel with the spiral element and its thermocouple.

#### EATLOCK

If the bushing is installed as shown in the diagram, all cables will be protected from plastic. If possible there shall be no contact between the back end of the bushing and the guide ring of the mould. Such contact will cause a heavy drop in temperature at the back end of the bushing. If the force at which the machine nozzle is pressed against the sprue bushing is greater than that caused by the injection force on the front area of the bushing, nothing is needed to keep bushing in place axially. The bushing can then be installed as shown in the diagram below.

Max permitted contact force from





machine nozzle: 4Mp

If a support is needed to fix the bushing axially the contact area must be as small as possible. The support area should preferably be as far as possible from the centre of the bushing. (Not on the flange.)


Preferably an insulation ring part No. KE05002708 shall be placed between the back support and the surface of the bushing.

Colour code for thermocouple wires.

Black (red) wire + (Iron) White (blue) wire —.

The connector sleeve of the thermocouple has a max. temperature resistance of 240 °C.






A certain amount of cooling is needed at front end.

It must remain at a temperature low enough to make the plastic solidify. Too much cooling will however cause the plastic in the flow channel to be highly viscous further into the bushing. The contact surface at the front end may therefore have to be trimmed depending on, for example, temperature wanted and cycle time.

Length of contact at front end can usually be 2mm. For high temperature plastic and for long cycle time a shorter length may be needed (down to about 0,75mm). The fit at the front end in the mould also has an influence on the temperature at that area. A hard fit gives more cooling then a loose one.

On injection moulding with fast-injecting materials it may sometimes be necessary to have a length of contact greater than 2 mm, so that sufficient heat can be carried away from the front face. This may mean increasing the temperature of the bushing during startup and reducing it in continuous operation.

An improved temperature zone separation in the front end of the bush will be achieved if a groove is machined as sketch to the right. Usefull when moulding at high temperatures.




# Length of the bushing.


When fitting the bushing into the mould it is essential to bear in mind that its length increases when it get hot. Approx. elongation of bushing at 200 °C

L26	approx	0,10 mm
L46	approx	0,17 mm
L66	approx	0,22 mm
L86	approx	0,27 mm
L106	approx	0,30 mm
L136	approx	0,39 mm

The front surface of the bushing must not come into contact with the moving mould half. Bushings with extra stock must be used when any kind of contour is needed at the front end. This is how it should be done. It is not recommended to shorten the bushing below the "L"







### measurment.


Front diameter of the bushing may be reduced to be as small as possible considering size of the gate. The wall thickness at the front end shall not be less than 2 mm.

A small front diameter of the sprue bushing gives:

- less contact area between bushing and mould with a more even temperature along the bushing as a result.
- the force that will push the bushing out of the mould will be reduced.

## Size of gate

Shot weight per nozzle grams



- 1. Low viscosity PS, PE, PP.
- 2. Medium viscosity ABS, SAN, PA, POM.
- 3. High viscosity PC, PMMA, Noryl, PUR, reinforced plastics.

On delivery is the gate 2 mm. Outward cone is 1,5° per side. It may be reamed out to 5 mm if necessary.

The diagram above gives a guideline figure for the gate diameter needed for different plastics and shot weights. Note: If the gate diameter is too small, an unnecessarily high bushing temperature will have to be set for the gate not to freeze between shots.

### **EATLOCK**

The suggested figures are approximate. Gate dimension may be influenced by the shape of the article and the design of the mould etc.

The balance between shot weight, injection rate, tool temperature, temperature pattern opposite gate, cooling around gate and injection pressure are all factors that affect gate size. A small gate freezes quicker than a large gate.

On injection moulding with very short cycle times and short injection times, it may be necessary to design gate cooling so that it does not overheat.

If the sprue bushing is feeding a runner which has a gate into a cavity, it may be suitable to make bushing gate larger than actually necessary. This way pressure drop and shear will be reduced.

If an electric sprue bushing is used to feeding a runner this means that length of flow in cold steel has been reduced equivalent to bushing length. Due to this cross section of the runner can be made smaller than usually. This may be important in order to get shortest possible cycle time.

Begin with a smaller gate than indicated by the table.

Instructions for changing the coilheater or thermocouple.


# Disassembly

- 1. Take off the reflector (aluminium tube)
- 2. Unscrew the screws at the rear end.
- 3. Take off the flange.
- 4. Take off the lock ring at the front end.
- 5. Take off the spring that keeps thermocouple in place.
- 6. Take off the tape that keeps heater and thermocouple extensions together.
- 7. Depending on how hard spiral heater fits the pipe it can either be pulled of or "unscrewed". Unscrewing works easily if you push on the spiral heater extension which will open the spiral while at the same time opening the spiral at the other end with a suitable tool. The thermocouple must not follow if the spiral element is rotated or pulled off, since it may break. Treat thermocouple with great care. The tube is only 1 mm diameter.

## Assembly.

To be done in opposite order to disassembly. If a new thermocouple is to be fitted it must be bent to fit the bushing. The tip of the thermocouple must be located where the groove ends, i.e. about half-way along the tube. Min. bending radius 3 mm.

Tighten the element so that the heating spiral makes contact with the tube.



If you have any questions about installing the bushing, please get in touch with us.

ESB2



Box 236 S-532 23 Skara e-mail: hot.runner@heatlock.se Homepage: http://www.heatlock.se Phone: +46 511-13200 Fax: +46 511-17285